

MSDS: 47844-1227E41EEN Date Prepared: 2010/07/01 Date Revised: 2014/02/03

Product Name: Honda DPF II

1. Identification of the substance/mixture and of the company/undertaking

Product Name:	Honda DPF $ {f I}$
Identification of the	JX Nippon Oil & Energy USA Inc.
supplier:	
Address:	20 N. Martingale Rd., Suite 325, Schaumburg, IL 60173
Charge section:	Lubricants Sales Department (TEL:+1-847-413-2188 FAX:+1-847-413-2199)

2. Hazards identification

hazard c	ategory	Category
	Flammable liquids	No Classification
	Acute toxicity (oral)	No Classification
	Acute toxicity (dermal)	No Classification
	Skin corrosion/irritation	No Classification
	Specific target organ systemic toxicity	No Classification
	following single exposure	
	Specific target organ systemic toxicity	No Classification
	following repeated exposure	
LABEL EL	EMENTS	
	Precautionary	Not oppliaghle
	pictograms:	Not applicable
	Signal word:	Not applicable
	Hazard Statement:	Not applicable
	Precautionary Statements:	
	Prevention Do not handle un understood.	til all safety precautions have been read and
	Wear protective protection.	gloves/protective clothing/eye protection/face
	Wash hands thoro	ughly after handling.
		k or smoke when using this product.
Response IF SWALLOWED: Immediately call a POISON CENTER or		
	doctor/physician.	
	IF SWALLOWED: Rin	nse mouth. Do NOT induce vomiting.
	IF ON CUINT W. L	
		with plenty of soap and water. be stored in a cool, well-ventilated location
	0 1	t be exposed to direct sunlight.
		nts/container in accordance with
	local/regional/n	ational/international regulations.

3. Composition/information on ingredients

Substance/Mixture:



MSDS: 47844-1227E41EEN Date Prepared: 2010/07/01 Date Revised: 2014/02/03

Product Name: Honda DPF II

Ingredients and Concentration	
Ingredient Name	Concentrationwt.%
Base Oil(s)	70-80
Kerosine	0. 1-0. 9
Additives	<30

4. First-aid measures

Inhalation:	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Cover the body with blankets to keep warm and quiet. If you feel
Skin Contact:	unwell, seek medical advice. Immediately flush skin with large amounts of water.
	Wash contaminated clothing before reuse. If skin irritation occurs : Get medical advice/attention.
Eye Contact:	Rinse with clean water carefully for several minutes. Remove contact lenses if present and if removal is easy, then continue rinsing. Rinse for 15 minutes at a minimum and seek medical
Ingestion:	attention. Do not induce vomiting. Drink [one glass] [two glasses] of water. Call a physician [or poison control center] immediately.

5. Fire-fighting measures

Mist of loaded liquid, dry chemicals, carbon dioxide, fire foam, and dry sand are effective. Use of straight steam of water can cause a risk of spreading fire.
In some cases of fire, may release irritant gases.
When burnt, may generate carbon monoxide and other toxic gases.
Spray water to the surrounding facilities for cooling.
Keep unauthorized persons off the site of occurrence of fire and the surroundings. Even after extinction, cool containers thoroughly with plenty of water.
Wear fire/flame resistant/retardant clothing.
Fight fire from windward direction while wearing protective equipment. If contact with skin is expected, wear impervious protective equipment and gloves. Use air-breathing apparatus and protective clothing whenever necessary.



MSDS: 47844-1227E41EEN Date Prepared: 2010/07/01 Date Revised: 2014/02/03

Product Name: Honda DPF II

Personal precautions, protective equipment and emergency procedures:	Wear protective equipment when working.
	Remove nearby potential ignition sources immediately.
	When mist is generated, use respiratory equipment to prevent inhalation of mist.
	Do not touch or walk through spillage.
	Pay attention to the site of spillage, which is slippery.
Environmental precautions:	Prevent spreading of oil spill with earth and sand, sandbags, or other proper materials and use care not to allow the oil spill to flow to street drains, sewer systems, and rivers.
	At sea, install oil spill containment booms to prevent spreading of spills and absorb with absorption mat or other proper materials.
Methods and materials for containment and cleaning up:	In case of spillage in small quantity, collect spillage by absorbing with earth, sand, sawdust, waste, or other proper materials.
	In case of spillage in large quantity, enclose with embankment to prevent spreading of spillage and collect spillage in empty containers to the extent possible.
Prevention of second accident:	In case of spillage, immediately inform the organizations concerned of the spillage to prevent possible accidents and spreading of spillage. Remove nearby potential ignition sources immediately and make
	fire-extinguishing agents available. Remove spillage completely, and ventilate and clean the site and the surroundings.

7. Handling and storage

Handling		
	Technical Measures:	Keep away from any possible contact with sparks, open flames, and high-temperature materials, and do not allow release of vapor without justification.
		Use pumps or other proper equipment for taking out from
		containers. Do not siphon with your mouth using a tube. Do not drink.
		When mist is generated, use respiratory equipment to prevent inhalation of mist.
		In case of vapor/mist dispersion, install a closed system, local ventilation system, and/or other proper equipment for the sources of vapor/mist generation.
		Avoid rough handling of containers such as falling, dropping, exposing to shock, and dragging.
	Ventilation requirements:	Maintain adequate ventilation when handling indoors.
	Precautions:	Wash hands and face thoroughly after handling. Be careful with fire.
	Precautions for safe handling:	Avoid falling, dropping, exposing to shock, or dragging of containers.
C t		Wear protective gloves when opening containers to eliminate a risk of hand injury.

Storage



MSDS: 47844-1227E41EEN Date Prepared: 2010/07/01 Date Revised: 2014/02/03

Product Name: Honda I	PF II
Storage Conditions:	Store in a well ventilated, cool, dry, dark place, protecting from direct sunlight and keeping away from any potential ignition sources and high-temperature materials. Store tightly stopped after use to prevent possible contamination with dust and moisture. Preferably store locked up in a proper storage area.
Safety adequate container materials:	Use spill-proof containers that are free of damage/corrosion.

8. Exposure controls/personal protection

Appropriate engineering controls: In case of mist generation, enclose the source of mist generation, or install a ventilation system. Install eve cleaning and body cleaning equipment near

Install eye cleaning and body cleaning equipment near the handling site.

Control parameters

Ingredient Name	Japan Society for Occupational	AC	GIH
	Occupational Exposure Limits	TLV-STEL	TLV-TWA
Base Oil(s)	None established	None established	None established
	ppm,	ppm,	ppm,
	3mg/m3(Mineral Oil	None established	5mg/m3(Mineral Oil
	Mist)	mg/m3	Mist)
Kerosine	None established	None established	None
	ppm,	ppm,	established ppm,
	None established	None established	200mg/m3(Kerosine)
	mg/m3	mg/m3	

Personal Protective Equipment

1 1	
Respiratory Protection:	Not needed under normal conditions, but wear a gas mask (against
	organic gases) whenever required.
Hand protection:	In case of prolonged or repeated exposure, wear oil-resistant
	hand protection.
Eye/face protection:	In case of exposure to splashes, wear ordinary type goggles.
Skin Protection:	In case of handling over a prolonged period of time or in case
	of exposure to oil, wear oil-resistant, long-sleeved work
	clothing.
Hygiene Measures:	Take off contaminated clothing and wash thoroughly before reuse.
	Wash hands thoroughly after handling.

9. Physical and chemical properties

Product

Physical state:	Liquid
Form:	Liquid
Color:	Red
Odor:	Slight odor
Melting point/freezing point:	Pour Point-47.5(℃)



MSDS: 47844-1227E41EEN Date Prepared: 2010/07/01 Date Revised: 2014/02/03

Product Name: Honda DPF II

Initial boiling point - End point No data Initial boiling point and boiling range: Flash point: 180(°C)Cleveland Open Cup Auto-ignition Estimate200−410(°C) temperature: Upper/lower flammability Explosion Limit (1-7%) or explosive limits: Vapour density: No data. Density(g/cm3): $0.851(15^{\circ}C)$ Solubility: water : Insoluble. Partition coefficient: n-No data. octanol/water: Decomposition No data. temperature:

10. Stability and reactivity

Chemical stability:Stable when stored or preserved in a dark place at room temperature.Possibility of hazardous
reactions:Keep away from any possible contact with strong oxidizing agents.Conditions to avoid:Contact with incompatible hazard substances
Prolonged heating, open flames, and ignition sourcesIncompatible materials:Use care to keep away from any possible contact with halogens, strong
acids, alkalis, and acidifying substances.Hazardous decomposition
products:When burnt, may release carbon monoxide and other gases.

11. Toxicological information

Product

Acute toxicity (oral):	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.
Acute toxicity (dermal):	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.
Acute toxicity (inhalation):	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.
Skin corrosion/irritation:	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.
Serious eye damage/irritation:	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.
Respiratory sensitization:	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.
Skin sensitization:	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.
Mutagenicity:	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.
Carcinogenicity:	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.
Reproductive toxicity:	For mixtures, hazard category was identified based on
	the classification criteria for mixtures.



Product Name:

SAFETY DATA SHEET

MSDS: 47844-1227E41EEN Date Prepared: 2010/07/01 Date Revised: 2014/02/03

Target organ effect/Single exposure: Target organ effect/Multi exposure: Respiratory toxic:

Honda DPF II

Ingredient Base Oil(s)

Acute toxicity (oral): Acute toxicity (dermal): Serious eye damage/irritation: Skin sensitization: Mutagenicity: Carcinogenicity:

Kerosine

Acute toxicity (oral): Acute toxicity (dermal): Acute toxicity (inhalation): Skin corrosion/irritation: Serious eye damage/irritation: Respiratory sensitization: Skin sensitization: Mutagenicity: Carcinogenicity: Respiratory toxic:

For mixtures, hazard category was identified based on the classification criteria for mixtures. For mixtures, hazard category was identified based on the classification criteria for mixtures. For mixtures, hazard category was identified based on the classification criteria for mixtures.

LD50:≧ 5000 mg/kg[rat] LD50:≧ 5000 mg/kg[rat] Practically None [rabbit] None Buehler method [guinea pig] Ames Test:Negative EU:Category 2: R45 need not apply. (NOTE L is Applicable), IARC:3

LD50:> 5000 mg/kg[rat] LD50:> 2000 mg/kg[rabbit] LC50:> 5.28 mg/L[rat], LC50:> 5.28 mg/L[rat] Moderate [rabbit], Effect on person : not entered None [rabbit], Effect on animals : not entered Effect on person : not entered None Buehler method [guinea pig] Negative, Negative ACGIH:A3, ACGIH:A3 Effect on person : not entered

12. Ecological information

Product

	Ecotoxicity	
	Fish acute toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.
	Algae acute toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.
	Fish chronic toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.
	Algae chronic toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.
Ingredient Base Oil(s)		
	Ecotoxicity	
	Fish acute toxicity: Daphnia acute toxicity:	96hLC50:> 5000 mg/L[Oncorhynchus mykiss] 48hEC50:> 1000 mg/L[Daphnia magna]

13. Disposal considerations



MSDS: 47844-1227E41EEN Date Prepared: 2010/07/01 Date Revised: 2014/02/03

Product Name: Honda DPF II

Disposal Dispose of contents/container in accordance with local/regional/national/international methods: regulations. Every customer/user of the product should dispose of industrial waste on its own responsibility, otherwise it must rely on a company authorized by prefectural governor

for treating industrial waste or a local public body involved in the disposal of industrial waste for proper disposal.

Before disposal of used container, remove contents completely.

14. Transport information

IMDGUN classification:Not applicableSpecific security precaution and
condition of transportation:Transport containers without causing any significant friction or
shaking.

15. Regulatory information

Korea(KECL) :	All components are listed or exempted.
Australia(AICS) :	In the case where one or more components are not listed or, even if
	listed, in the case of importing to the country or area concerned, an
	application or notification is required.
Canada(DSL) :	All components are listed or exempted.
China(IECSC) :	All components are listed or exempted.
EU(REACH) :	In the case where one or more components are not listed or, even if
	listed, in the case of importing to the country or area concerned, an
	application or notification is required.
New Zealand(NZIoC) :	In the case where one or more components are not listed or, even if
	listed, in the case of importing to the country or area concerned, an
	application or notification is required.
USA(TSCA) :	In the case where one or more components are not listed or, even if
	listed, in the case of importing to the country or area concerned, an
	application or notification is required.
Philippines(PICCS) :	All components are listed or exempted.
Taiwan:	All components are listed or exempted.

16. Other information

Disclaimer

We at JX Nippon Oil & Energy Corporation have prepared the copyrighted Safety Data Sheet to provide reference information on the hazardous chemical product of interest for our customers/users to ensure secure and safe handling. We would like every customer/user of the product to refer to the information and understand the necessity of taking appropriate measures for the actual handling conditions on their own responsibilities for optimum practical application of the product of interest. Consequently, the Safety Data Sheet is not intended to guarantee the safety of the product referenced to herein.