IDEMITSU

SAFETY DATA SHEET

Product Name: PPE

Honda Manual Transmission Fluid, 12 x 1 Quart Case



Revision Date: 17-Apr-2015 Revision Number: 1

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name: Honda Manual Transmission Fluid, 12 x 1 Quart Case

Other means of identification

Product Code: 1653-042

Synonyms Not available

1.2 Recommended use of the chemical and restrictions on use

Recommended Use Automotive Lubricant

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufactured by Idemitsu Lubricants America Corporation

701 Port Rd.

Jeffersonville, IN. 47130 Telephone: 812-285-8234

Fax: 812-285-8243

Contact Name: Robin Hutchens

Email: sds@ilacorp.com

24 Hour Emergency Phone Number Within USA and Canada: 1-800-424-9300

Outside USA and Canada: + 1 703-741-5970 (collect calls

accepted)

2. HAZARDS IDENTIFICATION

2.1 Classification

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and WHMIS 2015

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Acute toxicity - Inhalation (Dusts/Mists)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Not classified
Skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration toxicity	Not classified
Physical hazards	None

2.2. Label elements



Signal word Warning

Hazard statements H319 - Causes serious eye irritation

Precautionary Statements - Prevention: P264 - Wash face, hands and any exposed skin thoroughly after

handling

P280 - Wear protective gloves/protective clothing/eye

protection/face protection

Eyes P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy

Revision Date: 17-Apr-2015

to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice or

attention

Hazards not otherwise classified (HNOC)

Not applicable

2.3 Other information

Other hazards • May be harmful in contact with skin

· Harmful to aquatic life with long lasting effects

Unknown acute toxicity 9.242% of the mixture consists of ingredient(s) of unknown

toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous components

talla a da de de imperiorito					
Chemical Name	CAS-No	Weight %	Notes		
Phosphorodithioic acid, O,O-di-C1-14-alkyl	68649-42-3	1-5			
esters, zinc salts					

Components that do not contribute to this product's hazards

Componente that ac not contribute to time product c nazardo					
Chemical Name	CAS-No	Weight %			
Lubricating Base Stocks	Mixture	80-90			

4. FIRST AID MEASURES

4.1 First Aid Measures

General Advice If symptoms persist, call a physician. Take a copy of the Safety Data Sheet when going for

medical treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation

Revision Date: 17-Apr-2015

persists, consult a specialist.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give

oxygen. If not breathing, give artificial respiration. Call a physician immediately.

Ingestion Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty

lean forward to reduce the risk of aspiration. Call a physician or Poison Control Center

immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

FIRE-FIGHTING MEASURES

Flammable Properties NFPA: Class IIIB Combustible Liquid

5.1 Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2 Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources

Revision Date: 17-Apr-2015

of ignition.

Hazardous combustion products:

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Carbon oxides, Calcium Oxides (CaOx), Hydrogen Sulfide, Nitrogen oxides (NOx), Oxides of Phosphorus, Sulphur oxides, Zinc oxides.

5.3 Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes. Use personal protective equipment. Remove all sources of ignition. Avoid breathing vapors or mists. Ensure adequate ventilation.

6.2 Environmental Precautions

Personal precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Methods for Clean-up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceus earth, vermiculite) and place in container for disposal according to local /

national regulations (see section 13).

Spill Management

LARGE SPILLS Eliminate sources of ignition. Prevent additional discharge of material if possible to do so

without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify

the National Response Center.

WATER SPILLS Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand

or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure

conformity to local disposal regulations.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Wear personal protective equipment. Do not breathe vapors or

spray mist. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Safe Handling Advice Handle in accordance with good industrial hygiene and safety

practices.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep in properly labeled containers. Keep container tightly closed

in a dry and well-ventilated place.

Technical measures/PrecautionsSulfur compounds in this material may decompose when heated

to release hydrogen sulfide gas which may accumulate to potentially lethal concentrations in enclosed air spaces. Vapor concentrations of hydrogen sulfide above 50 ppm, or prolonged exposure at lower concentrations, may saturate human odor perceptions so that the smell of gas may not be apparent. Exposure to concentrations of hydrogen sulfide vapor above 500 ppm may cause rapid death. Do not rely on the sense of smell to

Revision Date: 17-Apr-2015

detect hydrogen sulfide.

Incompatible Materials and/or Coatings No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

<u>Exposure Guidelines</u>

This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Other Exposure Guidelines (If Generated)

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Hydrogen sulfide	Ceiling: 20 ppm	TWA: 1 ppm STEL: 5 ppm	5 ppm				
Oil mist, mineral	TWA: 5 mg/m ³	TWA: 5 mg/m ³		TWA 5 mg/m ³ ST 10 mg/m ³			

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal Protective Equipment

Eye/face protection Tightly fitting safety goggles. Wear chemical splash goggles and face shield when eye and

face contact is possible due to splashing or spraying of material.

Skin protection Use clean protective clothing if splashing or spraying conditions are present. Protective

clothing may include long-sleeve outer garment, apron, or lab coat. Glove Type:

Neoprene, Nitriles.

1653-042 - Honda Manual Transmission Fluid, 12 x 1 Quart Case

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Revision Date: 17-Apr-2015

provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Clear / Dark Brown

Physical State Liquid Odor Mild

Odor Threshold No information available

pH Not applicableMelting point / melting range Not applicable

Boiling point / boiling range No information available

Flash Point > 170 °C / 338 °F COC ASTM D92

Evaporation Rate

Flammability Limit in Air

Explosion Limits

Vapor Pressure

Vapor Density

Density

No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposing Temperature

No information available
No information available
No information available

Viscosity @ 40C = 30.70 cSt; @ 100C = 7.265 cSt

Other Information

10. STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity The product is chemically stable

10.2 Chemical stability

Chemical Stability Stable under recommended storage conditions.

10.3 Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerisation does not occur.

10.4 Conditions to Avoid

Conditions to Avoid Heat, flames and sparks.

10.5 Incompatible Materials

Incompatible Materials Strong oxidizing agents.

10.6 Hazardous Decomposition Products

1653-042 - Honda Manual Transmission Fluid, 12 x 1 Quart Case

Hazardous decomposition products

Thermal decomposition may produce hydrogen sulfide and other sulfur-containing gases at temperatures greater than 150F.

Revision Date: 17-Apr-2015

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact Causes serious eye irritation.

Skin Contact May be harmful in contact with skin.

Ingestion May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phosphorodithioic acid,	3080 mg/kg (rat)	>2000 mg/kg (rat)	
O,O-di-C1-14-alkyl esters, zinc			
salts			
68649-42-3			

11.2 Information on toxicological effects

Symptoms No information available

11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Sensitization Not classified.

Mutagenic effects Not classified.

11.4 Carcinogenicity

Carcinogenicity No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP, IARC, OSHA, or ACGIH.

Legend:

NTP: (National Toxicity Program), ACGIH: (American Conference of Governmental Industrial Hygienists), IARC: (International Agency for Research on Cancer), OSHA: (Occupational Safety & Health Administration)

Reproductive Effects Not classified.

STOT - single exposure Not classified.

STOT - repeated exposure Not classified

Aspiration hazard Not classified.

11.5 Acute Toxicity

Unknown acute toxicity 9.242% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Product Information (Estimated):

ATEmix (oral) > 5,000 mg/kg ATEmix (dermal) > 2,000 mg/kg ATEmix (inhalation-dust/mist) > 5 mg/l

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Ecotoxicity effects Harmful to aquatic life with long lasting effects. Plants and animals may experience harmful

or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway may be sufficient to cause a fish kill or create an anaerobic environment.

Revision Date: 17-Apr-2015

Unknown aquatic toxicity 11.1448% of the mixture consists of components(s) of unknown hazards to the aquatic

environment

12.2 Persistence and degradability No information available.

12.3 Bioaccumulation/Accumulation No information available

12.4. Mobility in soil No information available

PBT and vPvB assessment No information available

12.5 Other adverse effects: No information available

13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

To minimize exposure, see Section 8 (Exposure Controls/Personal Protection) of the SDS.

Waste Disposal Method This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

<u>IATA</u> Not regulated

IMDG/IMO Not regulated

Revision Date: 17-Apr-2015

15. REGULATORY INFORMATION

International Inventories

TSCA	All ingredients are on the inventory or exempt from listing			
DSL	Not all ingredients are listed on the DSL Inventory List			
NDSL	There are ingredients listed on the NDSL Inventory List			
Chemical Name	NDSL	CAS-No	Weight %	
Benzene, 1,4-dimethyl-2-(1-phenylethyl)-	X	6165-51-1	<0.01	
Benzene, 2,4-dimethyl-1-(1-phenylethyl)-	X	6165-52-2	<0.01	
EINECS	Does not comply			
ELINCS	Not Listed			
ENCS	Does not comply			
CHINA	All ingredients are on the inventory or exempt from listing			
KECL	Does not comply			
PICCS	All ingredients are on the inventory or exempt from listing			
AICS	All ingredients are on the inventory or exempt from listing			
NZIoC	Does not comply			
Mexico (INSQ)]	Does not comply		

USA

Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and and Title 40 of the Code of Federal Regulations, Part

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values	de minimus %
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters,	68649-42-3	1-5	1.0	
zinc salts				

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes **Chronic Health Hazard** No Fire Hazard No **Sudden Release of Pressure Hazard** No **Reactive Hazard** No

CERCLA/SARA 302 & 304

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical Name	CAS-No	Weight %	RQ	TPQ
Methyl methacrylate	80-62-6	<0.1	1000 lb final RQ	
			454 kg final RQ	

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %	HAPS data
Methyl methacrylate	80-62-6	<0.1	X

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CAS-No	Weight %	U.S CWA (Clean Water Act)
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	68649-42-3	1-5	Х
Methyl methacrylate	80-62-6	<0.1	Х

State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Chemical Name	CAS-No	New Jersey
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	X
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	68649-42-3	X
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	X

Chemical Name	CAS-No	Pennsylvania
Phosphorodithioic acid, O,O-di-C1-14-alkyl	68649-42-3	X
esters, zinc salts		

New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Lubricating Oil)

Canada

This material has been classified in accordance with the WHMIS 2015 regulation

Chemical Name	CAS-No	Weight %	NPRI
distillates (petroleum), hydrotreated light	64742-47-8	<1	Listed
Methyl methacrylate	80-62-6	<0.1	Listed
Phenol, dinonyl-	1323-65-5	<0.01	Listed
C.I. Solvent orange 7	3118-97-6	<0.001	Listed

Legend

NPRI - National Pollutant Release Inventory

16. OTHER INFORMATION

10

NFPA

Health: 1

Flammability: 1

Instability 0

Revision Date: 17-Apr-2015

Prepared By Susie Bibb Revision Date: 17-Apr-2015

1653-042 - Honda Manual Transmission Fluid, 12 x 1 Quart Case

Revision Date: 17-Apr-2015

Revision Summary: GHS SDS format

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet